





# TEES AVAILABLE TOOLING



DIE #	SIZE							EST. WT/FT
	A	B	T	R	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	
F-920	.150	.206	.016	.005			.015	.007
F-303	.312	.375	.062					.047
F-300	.312	.375	.125	.010	.010	.010	.010	.084
F-60	.500	.187	.062					.047
F-64	.500	.203	.062					.048
F-146	.500	.265	.062	.031		.015		.052
F-61	.500	.281	.062					.053
F-62	.500	.438	.062					.067
F-1314	.500	.500	.050					.058
F-1356	.500	.500	.125					.131
F-178	.750	1.250	.050					.120
F-1398	.875	1.250	.125					.300
F-4040	1.000	1.000	.125					.281
F-3183	1.000	1.375	.078	.125	.078	.010	.010	.220
F-3793	1.125	1.000	.063	.094	.063	.031		.157
F-1799	1.250	.625	.050	.094	.050	.025		.115
F-2243	1.250	.625	.050					.113
F-1425	1.250	1.125	.094	.125	.094	.047	.010	.216
F-2101	1.250	1.550	.050	.094				.169
F-222	1.375	.750	.050	.094	.050	.025		.127
F-4531	1.375	1.000	.078	.125	.078	.039		.219
F-2788	1.500	.750	.062	.125	.062	.031		.170
F-1305	1.500	.750	.094	.125	.094	.047		.246
F-3414	1.500	.750	.094	.125	.094	.047		.246
F-979	1.500	.938	.063	.063				.185




## TEES AVAILABLE TOOLING



DIE #	SIZE							EST. WT/FT
	A	B	T	R	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	
F-2767	1.500	1.000	.078	.125	.078	.039		.230
F-1871	1.500	1.000	.093					.269
F-3163	1.500	1.000	.094	.125	.094	.047		.274
F-2656	1.500	1.000	.125	.015	.062	.062	.062	.356
F-2270	1.500	1.250	.078	.125	.078	.039		.254
F-3837	1.500	1.250	.125	.125	.125	.062		.391
F-2510	1.500	1.500	.062					.219
F-1426	1.500	1.500	.064	.125	.016	.016	.016	.195
F-885	1.540	.870	.040	.120	.031	.016		.115
F-830	1.600	1.000	.040	.062				.125
F-4282	1.625	.875	.125	.125	.125	.062		.354
F-3568	1.625	1.125	.125	.125	.125	.062		.392
F-1063	1.625	1.750	.085	.094	.016	.016	.016	.336
F-3453	1.750	.875	.094	.125	.094	.047		.288
F-1049	1.750	1.000	.090	.125	.016	.016	.016	.295
F-3699	1.750	1.125	.094	.125	.094	.047		.344
F-3862	1.750	1.125	.156	.125	.156	.078		.502
F-1756	1.750	1.375	.094	.125	.094	.047		.287
F-1870	1.750	1.500	.125					.469
F-3836	1.750	1.625	.156	.125	.156	.078		.594
F-916	1.875	1.125	.050	.094				.181
F-3164	1.875	1.500	.094	.125	.094	.047		.372
F-4153	1.875	1.500	.125	.125	.125	.062		.485
F-3144	1.875	1.500	.156	.125	.156	.078		.595
F-989	1.875	1.750	.062	.125	.031	.031	.031	.270



**TEES  
AVAILABLE TOOLING**




DIE #	SIZE							EST. WT/FT
	A	B	T	R	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	
F-988	2.000	.438	.078	.125	.078	.031		.204
F-2442	2.000	.750	.125					.394
F-978	2.000	1.000	.062	.125	.031	.031	.031	.230
F-2411	2.000	1.000	.125	.125	.125	.062		.429
F-3080	2.000	1.125	.125	.125	.125	.062		.466
F-924	2.000	1.250	.063	.120				.250
F-1633	2.000	2.000	.125					.581
F-3768	2.000	2.000	.250	.250				1.157
F-1036	2.250	2.000	.125	.125	.094	.062	.031	.620
F-4320	2.500	1.250	.094	.125	.094	.047		.415
F-3116	2.500	1.625	.094	.125	.094	.047		.457
F-4081	2.500	2.000	.125	.125	.125	.062		.654
F-1743	2.572	.820	.072	.125				.293



MANN MADE,  
INC.

TEES  
AVAILABLE TOOLING



SIZE

DIE#	A	B	T	R	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	EST. WT/FT
F-6113	0.100	0.250	0.012					0.005
F-5374	0.375	0.475	0.100					0.090
F-4909	0.500	0.230	0.062					0.050
F-5003	0.500	0.688	0.060					0.081
4782	1.181	0.788	0.079					0.179
F-4624	1.250	0.750	0.062	0.125	0.062	0.031		0.150
F-7024	1.250	1.250	0.125	0.094	0.010	0.010	0.010	0.361
F-5232	1.250	1.250	0.190					0.694
F-5673	1.375	1.000	0.062	0.125	0.062	0.031		0.178
F-4531	1.375	1.000	0.078	0.125	0.078	0.039		0.219
F-4625	1.375	1.000	0.094	0.125	0.094	0.047		0.260
F-6059	1.500	2.000	0.125					0.506
F-5689	1.625	0.530	0.093					0.232
F-5746	1.750	0.875	0.125	0.125	0.125	0.062		0.373
F-6957	1.750	1.000	0.063	0.090	0.030	0.030	0.030	0.206
F-5558	1.780	1.500	0.060	0.094	0.016	0.016	0.016	0.236
F-6992	2.000	0.850	0.050	0.090	0.016	0.016	0.016	0.172
F-6991	2.000	1.000	0.078	0.125	0.078	0.016	0.039	0.278
F-5664	2.000	2.000	0.250					1.125
F-6025	2.125	0.800	0.078	0.078		0.039		0.269
F-6050	2.500	1.250	0.125	0.125	0.125	0.062		0.542
5025	2.500	1.625	0.156	0.156	0.078	0.062		0.750
F-4652	2.500	1.750	0.187					0.912
F-4526	3.000	1.500	0.125	0.125	0.125	0.062		0.654
F-5712	3.000	1.500	0.156	0.125	0.156	0.062		0.807

